


A Backyard Products Company

## CRESTWOOD GABLE 8' x 14' (244 x 426,7 cm)

ACTUAL FLOOR SIZE IS 96 x 168" (243,8 x 426,7 cm)

## **KEEP THIS MANUAL FOR FUTURE REFERENCE**



## 

## **BEFORE YOU BEGIN**

## BUILDING RESTRICTIONS AND APPROVALS

Be sure to check with local building department and homeowners association for specific restrictions and/or requirements before building.

## • ENGINEERED DRAWINGS

Contact our Customer Service Team if engineered drawings are needed to pull local permits.

## SURFACE PREPARATION

To ensure proper assembly you must build your shed on a level surface. Recommended methods and materials to level your shed are listed on page 9.

- CHECK ALL PARTS Inventory all parts listed on pages 3 7.
- ADDITIONAL MATERIALS

You will need additional materials to complete your shed. See page 8 for required and optional materials and quantities.




## \*\*\*CONTACT OUR CUSTOMER SERVICE TEAM IF ANY PARTS ARE MISSING OR DAMAGED\*\*\*



Call: 1-734-242-6900 email: customerservice@backyardproducts.com


## **TOOLS**



Safety! Always use approved safety glasses during assembly.

## HELPFUL REMINDER SYMBOLS


Look for these symbols for helpful reminders throughout this manual.



## ORIENT LUMBER AND TRIM FOR BEST APPEARANCE


Framing lumber is graded for structural strength and not appearance. Exterior trim is graded for one good side.

Always install the material leaving the best edge and best surface visible. Please remember that these blemishes in no way negatively affect the strength or integrity of our product. (See Fig. A, B, C.)



## PARTS IDENTIFICATION AND SIZES

Part identification letters are stamped on some parts.



WOOD SIZE CONVERSION CHART Nominal Board Size **Actual Size** 

....1-1/2" x 3-1/2" (3,8 x 8,9 cm)

1 x 4.....3/4" x 3-1/2" (1,9 x 8,9 cm)

2 x 3.....1-1/2" x 2-1/2" (3,8 x 6,3 cm)


.....3/4" x 2-1/2" (3,8 x 6,3 cm)


	PARTS LIST						
	IN	/ENTORY YOUR PARTS before you begin.  We suggest sorting parts by the category they are listed in.					
	x1	GAA 1 x 3 x 5" (2,5 x 7,6 x 12,7 cm) Gauge Block for 3/4" (1,9 cm) measurement (1,9 cm)					
	x2	<b>PVA</b> 2 x 4 x 6" (5,1 x 10,2 x 15,2 cm)					
	x4	<b>CPA</b> 2 x 4 x 8-1/2" (5,1 x 10,2 x 21,6 cm)					
	x5	<b>PWA</b> 2 x 4 x 10" (5,1 x 10,2 x 25,4 cm)					
	x2	<b>AJ</b> 2 x 4 x 12-1/2" (5,1 x 10,2 x 31,8 cm)					
S	x2	<b>ABA</b> 2 x 4 x 20" (5,1 x 10,2 x 50,8 cm)					
WALLS	x6	AO 2 x 4 x 22-1/2" (5,1 x 10,2 x 57,1 cm)					
N	x2	<b>QT</b> 2 x 4 x 35" (5,1 x 10,2 x 88,9 cm)					
	<u></u>	<b>UX</b> 2 x 4 x 64" (5,1 x 10,2 x 162,6 cm)					
	x2	<b>YFA</b> 2 x 4 x 68-1/2" (5,1 x 10,2 x 174 cm)					
	x3	<b>TM</b> 2 x 4 x 72" (5,1 x 10,2 x 182,9 cm)					
	x24						
	x3	SZ 2 x 4 x 89" (5,1 x 10,2 x 226,1 cm)					
(0	∐ x4	TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)					
ERS	x14	6 x 24" (15,2 x 61 cm) <b>OSB OR WOOD GRAIN</b> (1)					
FTE	x2	<b>JF</b> 1 x 4 x 60" (1,6 x 10,2 x 152,4 cm)					
RAFTERS	x16	2 x 4 x 63-7/8" (5,1 x 10,2 x 162,2 cm)					
	x2	3/8 x 10 x 17" (1 x 25,4 x 43,2 cm)					
	x4	3/8 x 4-3/4 x 54-5/8" (1 x 12,1 x 138,7 cm)					
	x2	3/8 x 4-3/4 x 64-1/8" (1 x 12,1 x 162,9 cm)					
	x2	3/8 x 4-3/4 x 64-1/8" (1 x 12,1 x 162,9 cm)					
TRIM	x4	<b>ATA</b>					
7	x2	3/8 x 4-7/8 x 73-1/2" (1 x 12,4 x 186,7 cm)					
	x2	3/8 x 4-3/4 x 77-1/4" (1 x 12,1 x 196,2 cm)					
	x8	3/8 x 1-3/4 x 81-1/2" (1 x 4,4 x 207 cm)					
	x2	3/8 x 4-7/8 x 96" (1 x 12,4 x 243,8 cm)					
	x2	3/8 x 4-3/4 x 96" (1 x 12,1 x 243,8 cm)					


WINDOW TRIM, DOOR TRIM & SHUTTERS									
<b>X3</b> \(\frac{\text{JTA}}{}\) 19/32 \(\text{x}\) 6-7/16 \(\text{x}\) 2" (1,5 \(\text{x}\) 16,4 \(\text{x}\) 5,1 cm)									
<b>NRA</b> 19/32 x 6-7/16 x 5-1/2" (1,5 x 16,4 x 14 cm)									
<b>X4</b> DJA 19/32 x 2-1/2 x 11" (1,5 x 6,3 x 27,9 cm)	<b>DJA</b> 19/32 x 2-1/2 x 11" (1,5 x 6,3 x 27,9 cm)								
<b>X1 AZ</b> 19/32 x 2-1/2 x 30-1/8" (1,5 x 6,3 x 76,5 cm)	<b>AZ</b> 19/32 x 2-1/2 x 30-1/8" (1,5 x 6,3 x 76,5 cm)								
<b>DHA</b> 19/32 x 5-1/2 x 30-1/8" (1,5 x 14 x 76,5 cm)	<b>DHA</b> 19/32 x 5-1/2 x 30-1/8" (1,5 x 14 x 76,5 cm)								
<b>x1</b> DDA 19/32 x 3-1/2 x 40" (1,5 x 8,9 x 10	<b>DDA</b> 19/32 x 3-1/2 x 40" (1,5 x 8,9 x 101,6 cm)								
<b>x1</b> AUA 19/32 x 2-1/2 x 53" (1,5 x	AUA 19/32 x 2-1/2 x 53" (1,5 x 6,3 x 134,6 cm)								
<b>X1 DEA</b> 19/32 x 3-1/2 x 55" (1,5	<b>DEA</b> 19/32 x 3-1/2 x 55" (1,5 x 8,9 x 139,7 cm)								
x3 OO 69" Door Stiffener (175	OO 69" Door Stiffener (175,3 cm)								
<b>LRA</b> 1 x 4 x 69-3/4" (2,5 x	LRA 1 x 4 x 69-3/4" (2,5 x 10,2 x 177,2 cm)								
x1 / DGR / 19/32 x 2-1/2 x 70-7/8	8" (1,5 x 6,3 x 180 cm)								
x2 DGL 19/32 x 2-1/2 x 70-7/	<b>DGL</b> 19/32 x 2-1/2 x 70-7/8" (1,5 x 6,3 x 180 cm)								
<b>X1 DFA</b> 19/32 x 3-1/2 x 72	<b>DFA</b> 19/32 x 3-1/2 x 72" (1,5 x 8,9 x 182,9 cm)								
x1 ZJ 19/32 x 2-1/2 x 72"	<b>ZJ</b> 19/32 x 2-1/2 x 72" (3,2 x 6,3 x 182,9 cm)								
LOFT & SHELVES									
OTE: Panel parts are not stamped.									
<b>X2 AED</b> 2 x 3 x 21-3/4" (5,1 x 7,6 x 55,2 cm)									
x2	7/16 x 10-1/2 x 89" (1,1 x 26,7 x 226,1 cm)								
x1	7/16 x 26-5/8 x 89" (1,1 x 67,6 x 226,1 cm)								
x5 PT	2 x 3 x 96" (5,1 x 7,6 x 243,8 cm)								
x1 TP	2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)								


## **WALL PANELS & DOORS**

## NOTE: Panel parts are not stamped.










## FLOOR PARTS


Floor panels are 5/8" (1,6 cm) thick.	NOTE: Panel parts are not stamped.			
X2 [TREATED] 2 x 4 x 72" (5,1 x 10,2 x 182,9 cm)	Look for TREATED			
X12 TREATED 2 x 4 x 93" (5,1 x 10,2 x 236,2 cm)	Stamp			
2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)				
5/8 x 23-7/8 x 96" (1.5 x 60.6 x 243.8 cm)	5/8 x 48 x 96" (1,5 x 121,9 x 243,8 cm)			
(1,5 x 60,6 x 243,8 cm)	(1,5 x 121,9 x 245,6 UII)			
	DOOE DANIELS			
	ROOF PANELS			
Roof panels are 7/16" (1,1 cm) thick.	ROOF PANELS  NOTE: Panel parts are not stamped.			
Roof panels are 7/16" (1,1 cm) thick.  x2				
<b>x2</b>				
7/16 x 15-7/8 x 23-7/8" (1,1 x 40,3 x 60,6 cm) x2  7/16 x 15-7/8 x 48"				
x2				


## **FASTENERS & HARDWARE**


## FASTENER/HARDWARE BAG





## **VENT/ DOOR HARDWARE/ WINDOWS**











## ADDITIONAL MATERIALS

## FOUNDATION OR FLOOR MATERIALS


- This shed does not include any leveling materials.
- See the FLOOR LEVELING section on page 9 for recommended methods and suggested materials to properly level your floor, as this will vary depending on your specific site.
- If you choose to install your kit on a concrete slab refer to page 10.

## REINFORCED WOOD FLOOR FRAME (OPTIONAL)

**IMPORTANT!** Depending on your specific use you may want to construct a heavy duty floor frame by adding additional floor joists (shown below as shaded). Below is a list of additional materials (not included):

х3	2 x 4 x 8' (5 x 10 x 243,8 cm) Treated Lumber Cut to (3) 2 x 4 x 93" (5 x 10 x 236,2 cm)
x12	ea. 3" (7,6 cm) Hot Dipped Galvanized Nails

For windows use acrylic latex exterior caulk that is paintable.



## **COMPLETING YOUR SHED** You will need these additional materials: 3-TAB SHINGLES ...... 7 Bundles 1" GALVANIZED ROOFING NAILS.... 3 Lbs For shingles. PAINT FOR SIDING ...... 3 Gallons PAINT FOR TRIM ...... 3 Quarts Use 100% acrylic latex exterior paint. (2) coats recommended. Use 100% acrylic latex exterior paint. 1" GALVANIZED ROOFING NAILS....1/4 Lb CAULK ...... 2 Tubes Use acrylic latex exterior caulk that is paintable. For roofing felt. TO VALIDATE YOUR WARRANTY YOU MUST USE THE FOLLOWING: DRIP EDGE ...... 60 Feet **#15 ROOFING FELT** To cover 160 Sq. Ft. of roof area.


REFER TO THE BACK OF THIS MANUAL AND THE MANUFACTURER'S INSTRUCTIONS FOR INSTALLATION OF SHINGLES, DRIP EDGE AND FELT.

## OPTIONAL WOOD FRAME FLOOR LEVELING OPTIONS

There are multiple ways to level your floor frame. Our recommended leveling method is shown below.

Leveling materials are not included in this kit.

## PREFERRED METHOD - 4x4 TREATED RUNNERS (Typical for 8' x 14' Kit)



## **MATERIAL REQUIRED**

**x2** 4 x 4 x 14' (10,2 x 10,2 x 426,7 cm) Treated Lumber


## Fasteners for Frame to 4 x 4. (3" Screws shown as one option.) Minimum 3" screws / exterior grade.

**x48** \( \)

<u>(!</u>\

Use only wood treated for ground contact and fasteners approved for use with treated wood.

Always support frame seams.



- Level under 4x4 runners only.
- Locate leveling material 12" from ends of runners and no more than 48" apart.
- Asphalt shingles should be used between 4x4 runners and blocks or treated lumber. Never use shingles in direct contact with ground.
- For best results and aiding in water drainage use gravel under each concrete block.

## LEVELING MATERIALS

Gravel
Solid Masonry Blocks in 1", 2", 4" or 8" thickness
2x4 Treated Lumber
Asphalt Shingles


/I\Leveling higher than 16" not recommended.

## CONCRETE

• If you are building your shed on a concrete foundation see the following page.

## **CONCRETE FOUNDATION**

Your kit contains all materials to construct a wooden floor. If you choose to install your kit on a concrete slab refer to the diagram below.




- **x2** 2 x 4 x 14' (5,1 x 10,2 x 365,8 cm) MUST be treated lumber.
- **x2** 2 x 4 x 8' (5,1 x 10,2 x 244 cm) MUST be treated lumber.
- x1 Caulk <

Allow new concrete slabs to cure for at least seven (7) days.


- A treated 2 x 4 (5,1 x 10,2 cm) sill plate is required when installing your shed on concrete. Hint: Purchase full length treated lumber.
- Use a high quality exterior grade caulk beneath all sill plates.
- Fasten 2 x 4 (5,1 x 10,2 cm) sill plates to slab using approved concrete anchors (fasteners not included).
- Check local code for concrete foundation requirements.

NOTES							
	·	·	·	·	·		





You have finished your floor frame. Proceed to level and square frame.





## **LEVEL AND SQUARE FLOOR FRAME**

A level and square floor frame is required to correctly construct your shed.




Before attaching floor decking, it is important to level and square the floor frame.



BEGIN

- Use level and check the frame is level before applying floor panels.

  Check for frame squareness by measuring diagonally across corners. If the measurements are the same, the frame is square. The diagonal measurement will be approximately 193-1/2" (491,5 cm).
- When the frame is level and square secure one side of frame to the 4x4 runners using one fastener at ends of each runner. Move to the opposite end of the frame. Secure the frame to 4x4 runners with one fastener at ends of each runner making sure the frame remains square (Fig. A).
- Once the floor frame is level and square fasten the frame to the 4x4 runners at each point the frame contacts the 4x4 runners.




## FLOOR PANELS PARTS REQUIRED: 5/8 x 48 x 96" (1,6 x 121,9 x 243,8 cm)


Ensure your floor frame is square by installing one panel and squaring frame.

Attach the 48 x 96" panel with the rough side up (painted-grid lines side) with the 48" edge and corner flush to the floor frame (Fig A). Secure panel with two 2" nails in the corners.


(2) Nails

Move to the opposite side.
Using the long edge of the panel as a lever,
move the panel side-to-side until the top corner is flush
to the floor frame (Fig. B).
Secure panel with two 2" nails in the corners.






3 Continue attaching the panel using 2" nails 6" apart on edges and 12" apart inside panel. Use a chalk line or use pre-painted grid lines to nail into joists under panel.



## 

4 Continue installing panels with rough side up (painted grid lines).

Use a chalk line or use pre-painted grid lines on panel for 2" nails 6" apart on edges, and 12" apart inside panels.




FINISH

You have finished attaching your floor panels.

## **IMPORTANT!**




Check the floor frame is level after installing floor panels. Re-level if needed.






- The floor should be used as a stable work surface for wall construction.
- Organize your assembly procedure during the build process to avoid over-handling of the walls.



## RAFTER ASSEMBLY

## **PARTS REQUIRED:**

**x3 CPA** 2 x 4 x 8-1/2" (5,1 x 10,2 x 21,6 cm)




You will build a rafter jig using the floor and three CPA parts as shown.


## **V**BEGIN

- Secure one **CPA** flush to the floor deck using two 3" screws.

  Measure over 96-3/4" and install a second **CPA** flush to the floor deck. **CPA** will overhang the floor. Secure using two 3" screws.
- Measure over 48" and up 35-3/16" from the floor edges and secure **CPA** using two 3" screws. Check **CPA** is 35-3/16" at both ends for squareness.



You have finished rafter jig. Proceed to assemble your rafters.



extstyle ext


BEGIN

Place two rafters ASA into the jig as shown.


Keep **ASA** firm against outside **CPA**'s as shown **(Fig.A)** and push rafters tight to the middle **CPA**. Rafters should touch at tips **(Fig. A)**.

Place gusset onto **ASA** holding a 1/4" gap from edge **(Fig. C)** and keeping rafters firm as instructed. Secure gusset using one 1-5/8" screw into each rafter. **HINT:** These screws will help hold the measurements when you nail on gussets.


Use ten 2" nails to finish securing the gusset to the rafters to pattern shown in Fig. C.



- 2 Flip rafters over and attach a second gusset using (12) 2" nails. No need to use jig for this gusset.
- Repeat Steps 1 2 to assemble *five* more rafters with 2 gussets.
- 4 Repeat **Step 1** to assemble *two* more rafters with only **1** gusset. Remove **CPA**'s from floor.




# ## Company of the second state of the second



## ### Control of the Internal Co

Place left **48" x 84"** panel onto wall frame flush to top of **SZ** with primed side up as shown. Secure panel with 2" nails 6" (15,2 cm) apart.

Repeat Step 2 to attach the right 48" x 84" panel.



3 Attach **OO** temporary support using 3" screws into wall frame as shown.



You have finished building your gable door wall.




## AS YOU FACE THE FRONT WALL, CHOOSE YOUR SINGLE DOOR LOCATION - LEFT OR RIGHT

## **IMPORTANT:**

The single door is a reversible door and can either be left hand swing or right hand swing, depending on your preference.

The graphics referenced in this instruction show the door as a left hand swing.


If you install the door as a right hand swing, simply mirror the left hand door instructions.




## GABLE WALL DOUBLE DOORS



If you choose to install your single door on the right hand side of the shed and with a right hand swing, note the double doors and the single door will bump and interfere with each other if opened at the same time. Please be aware of this issue.






## FRONT WALL WITH DOOR LEFT

## **PARTS REQUIRED:**

**X4 AO**2 x 4 x 22-1/2" (5,1 x 10,2 x 57,1 cm)

**TK** 

**X4** [ **TK** 2 x 4 x 80" (5,1 x 10,2 x 203,2 cm)






You will build two window frame assemblies (Fig.A).

**√**BEGIN

1 Orient parts on edge on floor. Measure and mark.

Use two 3" nails at each mark.





2 Repeat Step 1 to build second window frame.




You have finished your window frame assemblies.

## FRONT WALL WITH DOOR LEFT **PARTS REQUIRED:** x42 x2 ABA 3" (7,6 cm) x1 QT 2 x 4 x 20" (5,1 x 10,2 x 50,8 cm) 2 x 4 x 35" (5,1 x 10,2 x 88,9 cm) x1 TM x2 CPA 2 x 4 x 72" (5,1 x 10,2 x 182,9 cm) 2 x 4 x 8-1/2" (5,1 x 10,2 x 21,6 cm) x7 TK 2 x 4 x 80" (5,1 x 10,2 x 203,2 cm) x2 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)



Orient parts on edge on floor. Measure and mark.
Use two 3" nails at each mark and four 3" nails at seams.






## FRONT WALL WITH DOOR LEFT


Place **Sub-Assembly** in frame as shown. Measure and mark. Use two 3" nails at each mark and four 3" nails at seam.

2 x 4 x 80" (5,1 x 10,2 x 203,2 cm)



Orient door frame parts on edge on floor as shown. Measure and mark. 

!\ Install QT first. Use two 3" nails at each mark as shown.



You have finished your front wall frame.

# PARTS REQUIRED: 3/4" GAUGE BLOCK 3/8 x 48 x 84" (1 x 121,9 x 213,4 cm)

BEGIN

Place **48" x 84"** window panel onto wall frame flush to top of frame with primed side up as shown. Use the gauge block to mark the 3/4" measurement on the wall stud.

Secure panel with 2" nails 6" apart on edges and 12" apart inside panel.

BEGIN HERE

For squareness maintain Flush at top of panel and 3/4" measurement along panel edge.


12"
(30,5 cm)

3/4" GAUGE
BLOCK

Flush
Flush
Side up

12"
(1,9 cm)


Flush
Side up



Place **48 x 84"** single door panel onto wall frame flush to top of frame with primed side up as shown. Use the gauge block to mark the 3/4" measurement on the wall stud.

Secure panel with 2" nails 6" apart on edges


For squareness maintain flush and 3/4" measurement along panel edge.



### 

- Place 2nd 48" x 84" window panel primed side up onto wall frame, flush to top of frame and flush to installed panel. Use the gauge block to mark the 3/4" measurement on the wall stud. Secure panel with 2" nails 6" apart on edges and 12" apart inside panel.
- Place 11-7/8" x 84" end panels primed side up onto wall frame, flush to top of frame and flush to installed panels.

  Secure panel with 2" nails 6" apart on edges and 12" apart inside panel.
- Attach **ATA** temporary support using 3" screws into wall frame as shown. Hold the 32" (81,3 cm) dimension.



6 Carefully flip the front wall over.





You have finished building your front wall.



Go to page 33.

## FRONT WALL WITH DOOR RIGHT


## **PARTS REQUIRED:**

x4 A0

2 x 4 x 22-1/2" (5,1 x 10,2 x 57,1 cm)

x4 TK

2 x 4 x 80" (5,1 x 10,2 x 203,2 cm)



<u>(1)</u>


You will build two window frame assemblies (Fig.A).

HINT:
For easier nailing stand on frame.

BEGIN

Orient parts on edge on floor. Measure and mark.

Use two 3" nails at each mark.



2 Repeat **Step 1** to build second window frame.



You have finished your window frame assemblies.


# PARTS REQUIRED: x1 QT 2 x 4 x 35" (5,1 x 10,2 x 88,9 cm) x1 TM 2 x 4 x 72" (5,1 x 10,2 x 182,9 cm) x7 TK 2 x 4 x 80" (5,1 x 10,2 x 203,2 cm) x2 TP x42 3" (7,6 cm) 3" (7,6 cm) 2 x 4 x 20" (5,1 x 10,2 x 50,8 cm) x2 CPA 2 x 4 x 8-1/2" (5,1 x 10,2 x 21,6 cm)



2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)

Orient parts on edge on floor. Measure and mark.
Use two 3" nails at each mark and four 3" nails at seams.





## FRONT WALL WITH DOOR RIGHT

## **PARTS REQUIRED:**

**x2 CPA** 2 x 4 x 8-1/2" (5,1 x 10,2 x 21,6 cm)

**x1** QT 2 x 4 x 35" (5,1 x 10,2 x 88,9 cm)

**YFA**2 x 4 x 68-1/2" (5,1 x 10,2 x 174 cm)

**X2 TK** 2 x 4 x 80" (5,1 x 10,2 x 203,2 cm)

**x60** 3" (7,6 cm)






Place **Sub-Assembly** in frame as shown. Measure and mark. Use two 3" nails at each mark and four 3" nails at seam.

Orient parts on edge on floor as shown. Measure and mark.


Install QT first. Use two 3" nails at each mark as shown.

HINT: For easier nailing stand on frame.




You have finished your front wall frame.

## FRONT WALL WITH DOOR RIGHT



BEGIN

Place **48"** x **84"** window panel onto wall frame flush to top of frame with primed side up as shown. Use the gauge block to mark the 3/4" measurement on the wall stud. Secure panel with 2" nails 6" apart on edges and 12" apart inside panel.




# PARTS REQUIRED: x66 3/8 x 48 x 84" (1 x 121,9 x 213,4 cm)

Place 48 x 84" single door panel onto wall frame flush to top of frame with primed side up as shown. Use the gauge block to mark the 3/4" measurement on the wall stud.

Secure panel with 2" nails 6" apart on edges

For squareness maintain flush and 3/4" measurement along panel edge.




## EAVE SIDE WALL WITH DOOR RIGHT **PARTS REQUIRED:** x127 2" (5,1 cm) **x2** 3/8 x 11-7/8 x 84" (1 x 30,2 x 213,4 cm) x1 \ATA Temporary Support 3/8 x 48 x 84" (1 x 121,9 x 213,4 cm)

- Place 2nd 48" x 84" window panel primed side up onto wall frame, flush to top of frame and flush to installed panel.
  - Use the gauge block to mark the 3/4" measurement on the wall stud. Secure panel with 2" nails 6" apart on edges and 12" apart inside panel.

**x1** 

2 x 4 x 64-1/8" (5,1 x 10,2 x 162,9 cm)

- Place 11-7/8" x 84" end panels primed side up onto wall frame, flush to top of frame and flush to installed panels. Secure panel with 2" nails 6" apart on edges and 12" apart inside panel.
- 5 Attach ATA temporary support using 3" screws into wall frame as shown. Hold the 32" (81,3 cm) dimension.






You have finished building your front wall.


## **BACK WALL PARTS REQUIRED:** x36 3" (7,6 cm) 2 x 4 x 72" (5,1 x 10,2 x 182,9 cm) x2 TM x8 TK 2 x 4 x 80" (5,1 x 10,2 x 203,2 cm) x2 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm) BEGIN HINT: For easier nailing stand on frame.

Orient parts on edge on floor. Measure and mark.

Use two 3" nails at each mark and four 3" nails at seams











Ensure your wall frame is square by installing one panel and squaring frame.

- Place 1st 48 x 84" panel onto wall frame flush to top of frame with primed side up as shown. Use the gauge block to mark the 3/4" measurement on the wall stud. Secure panel with two 2" nails in the corners (Fig. A).
- Move to the opposite end. Using the long edge of the panel as a lever move the panel side-to-side until you have a 3/4" measurement on the wall stud. Secure corner with two 2" nails (Fig. B).

Nail the panel using 2" nails 6" apart on edges and 12" apart inside panel.





Place 2nd 48" x 84" panel on frame as shown with primed side facing up.

Nail using 2" nails 6" apart on edges and 12" apart inside panel.

For squareness maintain flush and 3/4" measurement along panel edges.

Flush

Primed side up

12" (30,5 cm)


†


Flush

Flush

(121,9 cm)


Place 3rd 48" x 84" panel on frame as shown with primed side facing up. Nail using 2" nails 6" apart on edges and 12" apart inside panel.






Support center stud **TK** with temporary supports **DHA** and **PVA** as shown. Measure, mark and square.

Use two 3" nails at each connection.








Place 48 x 84" panel with primed side up onto frame flush at top and with a 1-3/4" gap along right side.

Name of the prime of the prim

Secure panel to top and bottom plate using 2" nails 6" (15,2 cm) apart along edges. Secure panel to TK with 1-1/2" nails.










You have finished building your gable end wall.

### **FRONT WALL PARTS REQUIRED** x18 3" (7,6 cm) 00 Temporary Support 69" Door Stiffener (175,3 cm) 3" (7,6 cm) **x28** 2" (5,1 cm) BEGIN Stand front wall on floor. Center wall on the 168" (426,7 cm) floor dimension. Use **OO** as a temporary brace. Secure with two 3" screws. 3" (7,6 cm) 00

First, nail lower edge of panel to floor frame using 2" nails 6" apart. Angle nail to hit floor frame (Fig. A).


Secure wall bottom plates to floor using 3" nails (Fig. A).



LOCATION MAY VARY

You have finished standing your front wall.

### **GABLE END WALL**



**√**BEGIN

Stand wall on floor.



It is important to secure the gable end wall in the following order:


Set gable end wall on floor and secure top of wall using one 2" screw into top plate (Fig A).

!\ENSURE TOP OF WALL FRAMES ARE FLUSH. !\

Move to the bottom of gable end wall and secure bottom of wall using one 2" screw into front wall bottom plate (Fig A).

Nail lower edge of panels to floor using 2" nails 6" apart. Angle nail to hit floor frame (Fig. B).

PANELS ARE FLUSH BEFORE SECURING.




Nail gable end wall panel to front wall stud using 1-1/2" nails 6" apart (Fig. C).

Secure gable end wall to floor using 3" nails (Fig. C).


3 Secure gable wall top frame 2 x 4 using one 3" screw toe-screwed into front wall frame at an angle as shown (Fig. D).



You have finished standing your gable end wall.



### **BACK WALL**




**V**BEGIN
Stand back wall on floor.

□

1 Center back wall on the 168" (426,7 cm) floor dimension.

Secure top of wall using one 2" screw into top plate (Fig A).

BE SURE TOP OF WALL FRAMES ARE FLUSH.





Move to the bottom of gable end wall and secure bottom of wall using one 2" screw into back wall bottom plate (Fig A).

Nail gable wall panel to back wall stud using 1-1/2" nails 6" apart (Fig. B).

PANELS ARE FLUSH BEFORE SECURING.

Secure gable wall top frame 2 x 4 using one 3" screw toe-screwed into back wall frame at an angle as shown **(Fig. C)**.






Nail lower edge of back wall panels to floor frame using 2" nails 6" apart. Angle nail to hit floor frame (Fig. D).

Secure back wall bottom plates to floor using 3" nails (Fig. D).

Remove temporary supports.





You have finished standing your back wall.


### GABLE DOOR WALL x8 3" (7,6 cm) x4 1-1/2" (3,8 cm) x2 1-1/2" (3,8 cm)

▼BEGIN
Stand gable door wall on floor.

1 It is important to secure the front wall in the following order:

1 Set gable door wall on floor and secure using one 2" screw (Fig A).

1 ENSURE TOP WALL FRAMES ARE FLUSH.



Move to the bottom of gable end wall and secure bottom of wall using one 2" screw into front and back wall bottom plates (Fig B).


PANELS ARE FLUSH BEFORE SECURING.

### **GABLE DOOR WALL**

### **PARTS REQUIRED:**




3 Nail lower edge of panels to floor using 2" nails 6" apart. Angle nail to hit floor frame (Fig. C).





Secure gable wall to floor using 3" nails **(Fig. E)**.

- Secure gable door wall top frame 2 x 4 using 3" screws toe-screwed at each corner into top wall frames at an angle as shown in (Fig. F).
- 6 Remove temporary support.



FINISH


You have finished standing your gable door wall.

## ### Comparison of Comparison of Comparison of Comparison #### Comparison of Compari


### **V**BEGIN

Orient parts on flat as shown. You will build **TWO** assemblies.

Place LEFT front gable panel as shown and secure using 1-1/2" nails as shown.




Place RIGHT front gable panel flush to left panel. Secure using 1-1/2" nails as shown.



3 Repeat Steps 1 - 2 to build second gable unit.





You have finished assembling your gable units.



**V**BEGIN

- Install both gable units the same on both gable walls. Measure 2-9/16" down from top plate and mark at each side as shown (Fig A).
  - 1 Set gable unit on top plate SZ. BE SURE GABLE UNIT IS CENTERED ON WALL BEFORE NAILING.
- First, hold gable unit secure with one 2" nail on each side
  Continue nailing lower edge of panels into top plate using 2" nails 6" apart as shown
- 3 On the inside, secure gable unit with 3" screws toe-screwed into SZ at an angle as shown in (Fig. B).





If your front wall has door to LEFT side, see Fig. A.
If your front wall has door to RIGHT side, see next page.


**V**BEGIN


Measure and mark gable wall corner studs 1/2" down from top plates (Fig. A).

Place and hold top of PT on 1/2" marks. Secure PT with (6) 3" nails.

2 Measure and mark back wall 2nd stud and over-door crippler 1/2" down from top plates (Fig. A).

Place and hold top of **TP** on 1/2" marks. Secure **TP** with 3" nails and 3" screws into over-door crippler.





BEGIN


1 Measure and mark gable wall corner studs 1/2" down from top plates (Fig. B).

Place and hold top of PT on 1/2" marks. Secure PT with (6) 3" nails.

Measure and mark **TP** 1/2" down from top plates at back wall **2nd stud**.

Measure and mark TP 1/2" down from top plates at front wall 3rd stud.

Place and hold top of **TP** on 1/2" marks. Secure **TP** with 3" nails.





### **LOFT PARTS REQUIRED:** 2" (5,1 cm) **x1** 7/16 x 26-5/8 x 89" (1,1 x 67,6 x 226,1 cm)

Place 7/16" x 26-5/8" x 89" loft panel centered on loft supports.


Slide panel into gap at gable wall (Fig. D).

Secure to loft frame using 2" nails evenly spaced.





You have finished installing your loft.




### BEGIN

1 Measure and mark location for AED (Fig. A, Fig. B).


Place loft support ledger boards **AED** between gable wall and eave wall stud with narrow side to wall panel **(Fig. A)**.

Secure each **AED** using (2) 3" screws toe-screwed at an angle at gable wall stud and 3" nails into eave wall stud as shown.



2 Mark locatins for both PT shelf supports.


Secure both PT using 3" nails as shown.



## SHELVES PARTS REQUIRED: x2 7/16 x 10-1/2 x 89" (1,1 x 26,7 x 226,1 cm) x2 PT 2 x 3 x 96" (5,1 x 7,6 x 243,8 cm)

Measure and mark both **AED's** at the measurements shown from gable wall studs. Mark front wall stud at the dimensions shown

Secure PT's using 3" screws at locations shown.



Place upper and lower 7/16" x 10-1/2" x 89" shelf panels centered on PT shelf supports. Ensure panel is flush to gable wall studs.

Secure each shelf with (18) 2" nails spaced evenly.

Approximately

Flush

Flush

Flush

7/16 x 10-1/2 x 89"



You have finished installign your shelves.

## Pre-Assembled Rafter with 2 gussets RAFTERS x28 Pre-Assembled Rafter with 1 gusset


BEGIN

Locate first 2 gusset rafter on top plate, aligned over studs at each side and tight to side wall (Fig. A, Fig. B).



Secure rafter to top plate with two 3" screws above notch (Fig. B).

- Place remaining 2 gusset rafters on top plate, aligned over stude as shown and secure with 3" screws (Fig. B).
- 3 Locate and secure both 1 gusset rafters 3/8" over top plate with one 3" screw above notch (Fig. C). NOTE: Gussets face inside of shed.





Repeat **Steps 1 - 3** to secure rafters to opposite side top plate.




You have finished installing your rafters.

#### **ROOF PANELS PARTS REQUIRED:** x174 2" (5,1 cm) **x2** 3/4" **GAUGE** 7/16 x 15-7/8 x 23-7/8" **BLOCK** (1,1 x 40,3 x 60,6 cm) **x2** 7/16 x 48 x 96" 7/16 x 48 x 71-7/8" **x2 x2** (1,1 x 121,9 x 243,8 cm) 7/16 x 15-7/8 x 48" (1,1 x 121,9 x 182,6 cm) (1,1 x 40,3 x 121,9 cm) **x2** 7/16 x 15-7/8 x 96" (1,1 x 40,3 x 243,8 cm)





Attach a 15-7/8" x 96" roof panel with the rough side up with a 3/4" (1,9 cm) measurement on the rafter (Fig A) and flush with the installed panel (Fig. C).



### **ROOF PANELS**


### **PARTS REQUIRED:**




Attach a 15-7/8" x 23-7/8" panel with the rough side up (painted-grid lines side), flush with the installed 15-7/8" x 96" panel (Fig A).

The panel is flush at the gable end overhang (Fig. B), and the panel is 1/2" from outside of the end rafter (Fig. C).

Secure panel with two 2" (5,1 cm) nails in the corners.



4 Secure the roof panels using 2" nails 6" apart on edges and 12" apart inside panel.



### **ROOF PANELS**

### **PARTS REQUIRED:**




5 Place a 48" x 96" upper roof panel with the rough side up and flush to lower panels.


Ensure 1/2" gap at gable end rafter **(Fig. B)** and 3/4" measurement on the rafter **(Fig. A)**.

Secure the lower edge of roof panel using two 2" nails in corners as shown.

Move up to the top of the panel and keep spacing between the center of the rafters (Fig. C).

Secure with one 2" nail into each rafter (Fig. C).






Place a 48" x 71-7/8" upper roof panel, rough side up and flush with the installed 48" x 96" panel (Fig. D).

Ensure 1/2" gap at gable end rafter (Fig. E).

Secure the lower edge of roof panel using two 2" nails in corners as shown.

Move up to the top of the panel and keep spacing between the center of the rafters (Fig. C).

Secure with one 2" nail into each rafter (Fig. C).




### **ROOF PANELS**

### **PARTS REQUIRED:**



Nail the roof panels using 2" nails 6" apart on edges and 12" apart inside panel.



8 Repeat process to attach roof panels on the opposite side.



FINISH

You have finished installing your roof panels.

# ## Comparison of Comparison of


### You will build two LEFT and two RIGHT gable trim units.

BEGIN

Orient parts on floor. Line up 3/8" x 4-3/4" x 64-1/8" trim primed side down on top of ATA. Trim is flush with ATA at end and along edges as shown (Fig. A).

Secure with 1-1/2" nails spaced evenly (approximately 12" (30,5 cm).







You have finished your gable trim units.


### PARTS REQUIRED: x2 RIGHT gable trim unit x2 LEFT gable trim unit

BEGIN

1


Line up **RIGHT gable trim unit** flush to gable panel center seam and flush with roof sheathing **(Fig. A, Fig. B)**.

Secure with 3" screws into end rafter and spaced evenly (approximately 24" (61 cm).



Line up LEFT gable trim unit flush to RIGHT gable trim unit and flush with roof sheathing (Fig. A, Fig. B). Check gable trim units are flush at peak.

Secure with 3" screws into end rafter and spaced evenly (approximately 24" (61 cm).



3 Repeat **Steps 1 - 2** for opposite side.

FINISH

You have finished installing your gable trim units.

#### 


BEGIN

Line up (10" x 17") **Keystone** flush to gable unit peak and flush with roof sheathing **(Fig. A)**.

Secure with 2" finish nails into gable unit in pattern shown.


Place fascia 4-3/4" x 54-5/8" flush to **Keystone** and flush with roof sheathing (**Fig. B**).

Secure with 2" finish nails into gable unit and spaced evenly (approximately 18" (46 cm).



Place **LEFT fascia** flush to **Keystone** and flush with roof sheathing **(Fig. B)**.

Secure with 2" finish nails into gable unit and spaced evenly (approximately 18" (20,3 cm).



4 Repeat **Steps 1 - 3** for opposite side.

You have finished installing your gable fascia and keystone.

## EAVE SIDE SOFFITS PARTS REQUIRED: x2 AO 2 x 4 x 22-1/2" (5,1 x 10,2 x 57,1 cm) x36 2" (5,1 cm) x2 3/8 x 4-7/8 x 73-1/2" (1 x 12,4 x 186,7 cm) x4 3" (7,6 cm) 3" (7,6 cm)


Properties in Ensure soffit boards are flush at rafter ends (Fig. B) and flush at seam.

**V**BEGIN

1 Place eave nailer AO between two center rafters as shown.

Keep AO flush to the outside edge of rafter (Fig. A, Fig. B).

Pre-drill a 1/8" hole through center rafters into AO to avoid splitting rafter. Secure with 3" screws (Fig. A).




### **EAVE SIDE SOFFITS**

### **PARTS REQUIRED:**



- Place **96**" soffit board primed side down, flush to gable trim unit and rafter ends **(Fig B)**. Secure using 2" finish nails, two in each rafter and two into edge of **AO** as shown.
- Position 73-1/2" soffit board primed side down flush to gable trim unit and rafter ends (Fig B). Secure using 2" finish nails, two in each rafter.



4 Repeat **Steps 1 - 3** to attach eave nailer and soffit boards on the opposite side.




You have finished installing your eave nailer and soffit boards.

### EAVE SIDE FASCIA PARTS REQUIRED: x2 3/8 x 4-3/4 x 77-1/4" (1 x 12,1 x 196,2 cm) x2 3/8 x 4-3/4 x 96" (1 x 12,1 x 243,8 cm)


### BEGIN

- Place 77-1/4" soffit board primed side down, flush to gable trim unit and roof sheathing (Fig A). Secure using 2" finish nails, two in each rafter and two into face of AO as shown.
- Place **96**" soffit board primed side down, flush to gable trim unit and roof sheathing **(Fig A)**. Secure using 2" finish nails, two in each rafter and two into face of **AO** as shown.
- Repeat Steps 1 2 to attach eave nailer and soffit boards on the opposite side.




You have finished installing your eave side fascia.

### **DOUBLE DOORS - GABLE WALL**




- BEGIN
  - Orient parts as shown on flat surface. 1 3/8" offset is to top. Look for red (right) and green (left) on hinge board.
- Attach temporary support **OO** with 3" screws in middle and at ends as shown. Tighten securely.
- 3 Attach temporary support **GAA** with two 1-5/8" screws as shown.




### **DOUBLE DOORS - GABLE WALL**

### **PARTS REQUIRED:**

3" (7,6 cm)






Screw hinge boards into wall supports and floor using ten 3" screws as shown.

/!\ Make sure screws go into framing and floor (Fig. C, D).

Remove temporary supports and check doors open properly.





You have finished installing your double doors.

### **DOUBLE DOORS - GABLE WALL**

### **PARTS REQUIRED:**

x1 / DGR 19/32 x 2-1/2 x 70-7/8" (1,5 x 6,3 x 180 cm) **x54** (1,9 cm)

**x2 DGL** 19/32 x 2-1/2 x 70-7/8" (1,5 x 6,3 x 180 cm)



### BEGIN

1 Secure door trim from inside using 3/4" screws as shown (Fig. A).


Attach DGL and DGR with 3/4" screws from inside of doors (Fig. B).

Reinforce the door trim using 3/4" screws through door panel into trim (Fig. A). 3/4" (1,9 cm) Screws from Locate screws as shown (Fig. B). Use two screws at seams. behind. **Door Panel** Fig. A Door Trim **DGL** Fig. B **DGR Two Screws DGR** You have finished securing your door trim.

### DOUBLE DOOR STIFFENERS - GABLE WALL PARTS REQUIRED: x2 OO 69" Door Stiffener (175,3 cm) x12 2" (5,1 cm)


### BEGIN

- Center **OO** vertically on the left door in the door opening flush with the edge of door **(Fig. A)**. Secure using (6) 2" screws through outside trim into **OO (Fig. B)**
- Repeat Step 1 to install OO on right door.




### **DOUBLE DOOR HARDWARE**

### **PARTS REQUIRED:**







**V**BEGIN


1

Measure and mark location of hole on outside of right door as shown **(Fig. A)**. Pre-drill pilot hole with 1/4" dril.

Pre-drill through hole with 1/2" drill.




Keep drilled hole square to trim to avoid breaking edge of door stiffeners.




Insert handle in hole and secure using 1-1/2" (3,8 cm) screws.

Attach inside handle and secure with set screw as shown.



You have finished installing your T-handle.

### **DOUBLE DOOR HARDWARE**





### BEGIN

Place top bolt onto **OO** in open position with bolt ends 3/8" (1 cm) down from frame. Bolt is open when loop is contacting base (**Fig A**).

Mark and pre-drill holes for screws.


- Install bolt with screws supplied and drill 5/16" (0,8 cm) hole deep enough for bolt to slide into.
- Place bottom bolt onto **OO** in open position with bolt ends 1/2" (1,3 cm) up from floor. Bolt is open when loop is contacting base **(Fig B)**.

Mark and pre-drill holes for screws.


Install bolt with screws supplied and drill 5/16" (0,8 cm) hole deep enough for bolt to slide into.



HINT: With door closed extend bolt and tap with hammer to leave a mark in wood for drilling.



### SINGLE DOOR - FRONT WALL



### Refer to Page 20 for right hand swing single door note.

BEGIN

Install single door with black-painted hinge board.




Center door in wall panel opening. Hold door in position and keep level.

- Measure Gap (Fig. B) between door trim and wall panel as shown. Hold door in position and keep level.
- Hinge-board must overhang wall panel at measurement shown (Fig. C).

  Bottom of door trim is even with wall panel as shown.
- Screw hinge board into wall supports and floor using five 3" screws as shown.

  Nake sure screws go into framing and floor (Fig. D, Fig. E).




You have finished installing your single door.

### SINGLE DOOR TRIM - FRONT WALL

#### 

BEGIN

- 1 Secure door trim from inside using 3/4" screws as shown (Fig. A).
- 2 Attach DGL with 3/4" screws from inside of door. (Fig. B).
- Reinforce the door trim using 3/4" screws through door panel into trim (Fig. A). Locate screws as shown in Fig. B. Use two screws at seams.



FINISH


You have finished securing your door trim.


### DOOR STIFFENER & WEATHER STRIP - FRONT WALL

### PARTS REQUIRED: x1 OO 69" Door Stiffener (175,3 cm) x2 LRA 1 x 4 x 69-3/4" (2,5 x 10,2 x 177,2 cm)

#### BEGIN


1 Center OO vertically on door in the door opening (Fig. A) 1" from edge of door (Fig. B). Secure using (6) 2" screws through outside trim into OO (Fig. B)






Hold LRA tight against inside of door (Fig. D).
Secure LRA using 2" finish nails into right door frame as shown.

- 3 Repeat Step 2 to install LRA on other side of door opening.
- You have finished installing your weatherstrip and threshold.




### **DOOR HARDWARE - SINGLE DOOR**

### **PARTS REQUIRED:**






Measure and mark location of hole on outside of door as shown **(Fig.A).** Pre-drill pilot hole with 1/4" dril.



Insert shaft in hole and secure handle with 1-1/2" screws (Fig. B).

Install extender over shaft. Attach inside handle and secure extender and handle with set screws, as shown.

Fig. B




## **CORNER TRIM**

### **PARTS REQUIRED:**

**8**x


3/8 x 1-3/4 x 81-1/2" (1 x 4,4 x 207 cm)



#### BEGIN

- 1 Attach one 81-1/2" trim board flush under soffit panel and against eave wall (Fig. A, B) using one 2" finish nail at top as shown.
- Position 81-1/2" trim board flush along edge of installed 81-1/2" trim board and flush under gable panel (Fig. A, B). Secure using one 2" finish nail at top as shown.

  Finish attaching trim flush to corners (Fig. B) using (6) 2" (5,1 cm) finish nails as shown.
- 3 Repeat **Steps 1 2** to attach trim to all four corners.




ou nave anaeneu yeur conner minn

# **COLLAR TIES**

## **PARTS REQUIRED:**

**y2** JF 1 x 4 x 60" (2,5 x 10,2 x 152,4 cm)




**√**BEGIN

Position and level collar ties **JF** on 3rd and 5th rafters from double door wall.

HINT: For best appearance install collar ties on rafters facing away from double door opening.

2 Attach with 2" nails as shown.




FINISH


You have finished installing your collar tie.

# WINDOWS PARTS REQUIRED: x2 | Window | 22-1/4 x 29-3/4" | (56,5 x 75,6 cm) | 1-5/8" (4,1 cm) | 1-5/8"

BEGIN

- 1 Seal windows with high-quality exterior-grade caulk before installing (Fig. A).
- 2 Center and secure windows using 1-5/8" screws as shown. Ensure window is level.






FINISH

You have finished installing your windows.

# SHUTTERS & WINDOW TRIM PARTS REQUIRED: x4 DJA 19/32 x 2-1/2 x 11" (1,5 x 6,3 x 27,9 cm) x1 AZ 19/32 x 5-1/2 x 30-1/8" (1,5 x 14 x 76,5 cm) x1 AZ 19/32 x 2-1/2 x 30-1/8" (1,5 x 6,3 x 76,5 cm)



Position **DHA** on top of **DJA** primed side down as shown. Square and mark.




3 Locate shutter just past the inside of the vertical screw holes on window flange. Center shutter from top to bottom of window as shown.

Attach shutter using 2" finish nails indicated at "dot". Nail into wall studs.

From inside, attach shutter using 1" screws indicated at "X".

Repeat steps to attach shutter on opposite side.



Locate **AZ** centered on marks and seam as shown. Attach using 2" finish nails. Nail into double studs.

# WINDOW TRIM (cont.)

## **PARTS REQUIRED:**

x17 □


NRA 19/32 x 6-7/16 x 5-1/2" (1,5 x 17,5 x 14 cm) x1 (JTA) 19/32 x 6-7/16 x 2" (1,5 x 16,4 x 5,1 cm)

DEA 19/32 x 3-1/2 x 55" (5,1 x 8,9 x 139,7 cm)


x1 AUA 19/32 x 2-1/2 x 53" (5,1 x 6,3 x 134,6 cm)




Locate **DEA and AUA** centered and flush to shutters as shown. Attach using 2" finish nails. Nail into framing.



6 Locate **JTA** centered over trim. Attach using one 2" finish nail as shown. Nail into framing.



Place NRA keystone centered over JTA. Attach using four 2" finish nails as shown. Nail into framing.





You have finished installing your shutters and window trim.

## **DOOR TRIM**

#### **PARTS REQUIRED:**

**x10** 2" (5 cm)

**x2** NRA 19/32 x 6-7/16 x 5-1/2" (1,5 x 17,5 x 14 cm) **x1** VTA 19/32 x 6-7/16 x 2" (1,5 x 16,4 x 5,1 cm)

**x1** DDA 19/32 x 3-1/2 x 40" (1,5 x 8,9 x 101,6 cm)


**x1** DFA 19/32 x 3-1/2 x 72" (1,5 x 8,9 x 182,9 cm)

**x1 ZJ** 19/32 x 2-1/2 x 72" (3,2 x 6,3 x 182,9 cm)



## **V**BEGIN


1 Center trim **DFA** over double doors flush to hinge boards.
Secure using 2" finish nails into framing as shown **(Fig. A)**.



Locate JTA centered over trim (Fig. B).

Attach using one 2" finish nail,


Attach using one 2" finish nail, close to trim as shown. Nail into framing.



Place NRA centered over JTA (Fig. C).

Attach using four 2" finish nails as shown.

Nail into framing and top trim.





You have finished installing your double door trim.

## **DOOR TRIM**

#### PARTS REQUIRED:

x19 🗀

NRA 19/32 x 6-7/16 x 5-1/2" (1,5 x 17,5 x 14 cm)

**x1 \( \frac{\mathbf{JTA}}{7} \) 19/32 \( \times 6-7/16 \) \( \times 2'' \) (1,5 \( \times 16,4 \) \( \times 5,1 \) cm)** 

19/32 x 2-1/2 x 72" (3,2 x 6,3 x 182,9 cm)

DDA 19/32 x 3-1/2 x 40" (1,5 x 8,9 x 101,6 cm)

BEGIN

ZJ


**x1** 

Flush **ZJ** with bottom of wall panel and single door (Fig. D).


Ensure 3/8" gap between door and trim (Fig. D).

Secure using 2" finish nails into framing as shown.


Center trim **DDA** over door flush to hinge board and **ZJ**. Secure using 2" finish nails into framing as shown (Fig. D).



Locate **JTA** centered over door trim. Attach using one 2" finish nail close to trim as shown (Fig. E).




Place NRA centered over JTA. Attach using five 2" finish nails as shown (Fig. F). Nail into **JTA** and framing at bottom.



You have finished installing your single door trim.

## **DOOR - DECORATIVE HINGES**


# **PARTS REQUIRED:**






1

Level decorative hinges in position as shown. Secure with 1" (2,5 cm) screws.






FINISH

You have finished installing your decorative door hinges.

# PARTS REQUIRED: x2 Vent with Frame #15021


BEGIN

Place vent in gable opening. Seal vent behind vent flange edges with high-quality exterior-grade caulk before installing **(Fig. A)**.



Center vent frame over vent. Ensure frame is level.

Seal vent trim from behind with high-quality exterior-grade caulk before installing (Fig. B).



- 3 Secure vent frame using 2" finish nails (Fig. B).
- Repeat **Steps 1-3** to install vent and frame on the other gable wall.



You have finished installing your vents.

# PAINT & CAULK - NOT INCLUDED -




- Use acrylic latex caulk that is paintable. Caulk at all horizontal and vertical seams, between the trim and walls, and all
  around the door trim.
- Use a high quality exterior acrylic latex paint. When painting your building, there are a few key areas that can be easily overlooked that must be painted:
  - Bottom edge of all siding and trim
  - Inside of doors and all 4 edges

#### Note:

Prime all un-primed exterior wood before painting. (Follow directions provided by manufacturer.)


# **ROOF FELT**- NOT INCLUDED -

• Install felt flush to all roof edges overlapping 3". Use minimal amount of roofing nails to hold in place.



# **DRIP EDGE**- NOT INCLUDED -






# SHINGLES - NOT INCLUDED -

• Follow directions provided by manufacturer and these instructions.



Familiarize yourself with a 3-Tab Shingle.




/!\ NEVER DRIVE FASTENERS INTO OR ABOVE SEALING STRIPS.

**V**BEGIN


Install first starter row upside down and color up with a 1" overhang at back and bottom of roof panel. Use (4) nails per shingle. Starter row must be straight and level all the way across with lower edge of roof deck.

**NOTE:** If you have installed drip edge install shingles flush to drip edge.





# SHINGLES continued...

Beginning at front of shed, install first row of shingles with notch at 1" past roof edge or flush with drip edge.



Install second row of shingles flush at top of first row's rain slots. Ensure 1" overhang or flush to drip edge at front, stagger each row.






# **SHINGLES**

continued...


Continue installing rows of shingles to the peak. At the peak make sure there is a maximum of 5" or less to the rain slot, as shown below. If shingles overlap at ridge cut to peak with a utility knife.





• If more than 5" to rain slot you must install another row of shingles.


- Repeat steps 1 5 to shingle the opposite side of your roof. Trim shingles at ridge.
- 7 Once both sides are shingled you need to trim ends. Strike a chalk line 1" from edge.
- 8 Using your shingle hooked blade carefully cut shingles along chalk line.





You have finished shingling your roof. Proceed to capping the ridge.


## SHINGLES - RIDGE CAP




Note: • You will need about 32 - 34 cut pieces.



2 Install first ridge cap flush to shingles at front, as shown.




3 Install second ridge cap 5" back, as shown.




# SHINGLES - RIDGE CAP

continued...


4 Continue installing ridge cap to back of roof.




5 Make sure there is 4" between the shingle-color and edge of shingles.



6 When you have 4" minimum of shingle color cut one piece to cap your roof.



7 Install flush to shingles.



FINISH

You have finished your ridge cap.

# 16574-A 8' x14' Order Form

CATEGORY	PART DESCRIPTION	PART SIZE	PART ITEM #	BUILDING QTY.	PART ID
2 X 3	Loft Support / Shelf Support Shelf Support	LUM SPF 2X3X96 #2&BTR 2 X 3 X 21 3/4"	12115 Q 21120000000	5 2	PT 
2 X 4	Gable Overhang Trim	2 X 4 X 64-1/8" 31* O/E RAKE	O 64023100000	4	ATA
	Front & Back Wall Plates / Loft Support Front Wall Bottom Plate	LUM SPF 2X4X96 #2&BTR 2 X 4 X 20* PLATE/CRATE PART	12306 O 2000000000	5 2	TP ABA
	Sidewall Btm Plates/ Over Wdo. Crippler	2 X 4 X 12-1/2 " PLATE	O 12080000000	2	AJ
	Wall Studs Door Header Single Door	2 X 4 X 80" STUD 2 X 4 X 35" PLATE	O 8000000000 O 35000000000	24	TK QT
	Window Framing /Soffit Blocking	2 X 4 X 22 1/2"	O 22080000000	6	AO
	Over Double Door Crippler/ Gable Connector Gable Connector	2 X 4 X 10" OVERHANG SUPPORT 2 X 4 X 6" NAILER	O 1000000000 O 0600000000	5 2	PWA PVA
	Over Door Cripplers & Gable Framing Rafters	2 X 4 X 8-1/2" CRIPPLER 2 X 4 X 63-7/8" 31* O/E RAFTE	O 08080000000 O 6314310000N	4 16	CPA ASA
	Front & Back Wall Plates	*LUM SPF 2X4X72 #2&BTR	O 72000000000	3	TM
	Sidewall Top Btm Plates Door Studs	*2 X 4 X 89" PLATE 2 X 4 X 68-1/2"	O 8900000000 O 6808000000	3 2	SZ YFA
	Door Header Double Door	2 X 4 X 64" PRE-CUT & PART	O 64000000000	1	UX
	Floor Joist	LUM TRTD 2 X 4 X 93 #2&BTR	P 9300000000	12	
2 X 4 TREATED FLOOR FRAME	Rim Joist Rim Joist	LUM TRTD 2 X 4 X 96 #2&BTR LUM TRTD 2 X 4 X 72 #2&BTR	P 96000000000 P 72000000000	2 2	
					1
1 X 3 PINE	Gauge Block	1 X 3 X 5" PINE FILLER	U 05000000000	1	GAA
1 X 4 PINE	Collar Tie	1 X 4 X 60" PINE COLLAR TIE	T 6000000000	2	JF LDA
	Pine Filler Single Door	1 X 4 X 69-3/4"	T 69120308000	2	LRA
7/16 OSB	Roof Panel "A"	OSB 7/16" x 4' x 8' * 7/16" X 48" X 71-7/8" OSB PA	11110 C 71144800000	2	-
	Roof Panel "B" Roof Panel "C"	7/16" OSB 15 7/8" X 96" ROOF	C 71144800000 C 96001514000	2 2	
	Roof Panel "D" Roof Panel "F"	7/16" OSB 15 7/8" X 48" PANEL 7/16" OSB 15 7/8" X 23 7/8"	C 48001514000 C 23141514000	2 2	
	Shelf	7/16" OSB 10 1/2" X 89"	C 89001008000	2	
	Loft Deck	7/16" OSB 26-5/8" X 89"	C 89002610000	1	
5/8 OSB	Floor Panel "A" Floor Panel "B"	OSB 5/8" X 4' X 8' 5/8" OSB 23 7/8" X 96" FLOOR	11117 E 96002314000	3	
GUSSETS	Gusset	*EZ 8" 6" X 24" GUSSET 31*-3/8	J 24000600310	14	
NO GROOVE SIDING	Backwall & Sidewall Panel Front Wall Window Panel- RIGHT	SIDING NGSE 3/8X4'X7' 3/8"NG EAVE WALL PANEL W/	11507 K 84004800115	5 1	
	Front Wall Window Panel- LEFT	3/8"NG EAVE WALL PANEL W/ 13-1/8" x 13-1/8" VENT FRAME	K 84004800215	1 2	
	Vent Frame Gable Keystone	17" x 10" GABLE KEYSTONE	K 13021302000 K 17001000000	2	
	Wall panel at Door -RIGHT Wall panel at Door -LEFT	3/8"NG RT PANEL@DOOR (33460) 3/8"NG LT PANEL@DOOR (33460	K 84004800610 K 84004800620	1	
	Back Wall Panel	NG 23 7/8" X 84" WALL PANEL	K 84002314000	1 2	
	Front Wall Panel Gable Panels w/ Hole -RIGHT	NG 11-7/8" X 84" WALL PANEL 3/8"NGX34-1/4"X48"RT GABLE HO	K 84001114000 K 48003404144	2	
	Gable Panels w/ Hole -LEFT Eave Wall Panel w/ Door - Uni-Door	3/8"NGX34-1/4"X48" LT GABLE H 3/8"NG PANEL W/ DOOR	K 48003404244 K 8400480000U	2	
	Gable Trim Gable Trim-RIGHT	3/8" NG 4-3/4" X 54-5/8" GA 3/8"NGx4-3/4" x 64-1/8"-31"	K 54100412000 K 64020412110	4 2	
	Gable Trim-LEFT	3/8"NGx4-3/4" x 64-1/8"-31*	K 64020412210	2	
	Eave Soffit Eave Soffit	3/8" NG 4-7/8" X 96" 3/8" NG 4-7/8" X 73-1/2"	K 96000414000 K 73080414000	2 2	
	Eave Fascia Eave Fascia	3/8" NG 4-3/4 " X 96" 3/8" NG 4-3/4 " X 77-1/4"	K 96000412000 K 77040412000	2 2	
	Corner Trim Side	3/8" NG 1 3/4" X 81-1/2"	K 81080112000	8	
19/32 X 3 SMART TRIM	Door Cross Buck-LEFT	19/32 TST 2 1/2" X 70-7/8" 20*	UT70140208200	2	
	Shutter Shutter Rail Small Door Trim	19/32 TST 2 1/2" X 11" 19/32 TST 2 1/2" X 72" TRIM	UT11000208000 UT72000208000	4	ZJ
	Door Cross Buck-RIGHT	19/32 TST 2 1/2" X 70-7/8" 20*	UT70140208100	1	
	Shutter Rails Window Trim Bottom	19/32 TST 2 1/2" X 30 1/8" 19/32 TST 2 1/2" X 53" TRIM	UT30020208000 UT53000208000	1 1	AZ AUA
<u> </u>	Over Door Trim Single Door	19/32 TST 3 1/2" X 40" L/L 15*	UT40000308015	1	
19/32 X 4 SMART TRIM	Window Trim Top	19/32 TST 3 1/2" X 55" L/L 15*	UT55000308015	1	
	Over Door Trim Double Door	19/32 TST 3 1/2" X 72" L/L 15*	UT72000308015	1	
40/22 V C CHAPT TO	Keystone Over Doors & Window	19/32" X 5-1/2" X 6-7/16"	UT06070508015	3	
19/32 X 6 SMART TRIM	Shutters Keystone Over Doors Filler	19/32 TST 5 1/2" X 30 1/8" 19/32" X 6-7/16 X 5-3/8" X 2"	UT30020508000 UT06070200015	3	
	Door Stiffener	LSL 1-1/4 X 2-1/4 X 69 PET	12715	3	00
	D-Handle Extender	D-HANDLE EXTENDER KIT 5/16" X 1-5/8" SHAFT w/ SET SCREW	15767	1	
	Spring Bolt Nails	SPRING BOLT, 1.63 TRAVEL, W/SCREWS NAIL 6D 2" BOX HDG BOX	15129 15105	7	
PURCHASED COMPONENTS	Nails Door Handle Kit Single Door	NAIL 10D 3" BOX HDG BOX HANDLE - T 4" SHAFT & "D"	15109 15375	4 2	
	Faux Hinges	HINGE (FAUX) w/ SCREWS (2 HING	15263	3	
	Window- Large Hardware Kit	WINDOW 22 1/4" X 29 3/4" LG SQ H/K (33472) 8x14 CRESTWOOD	15281 15988	2	
	Vents- Exterior White	VENT 8"x 8" ALUMINUM / WHITE	15020	2	
PACKAGING	Instructions		16574-A	1	
	30181-R				
	Door Panel Right Hinge Assembly	3/8" NG 31 3/8"" X 71 1/2"" HINGE RIGHT (RED) 19/32x3 THIN TRIM	K 7108310600M 30121-TT		1
Right Door Assembly	Vertical Door Stiles	19/32 TST 2 1/2" X 71 5/8"	UT71100208000		I GY
	Horizontal Door Rails	19/32 TST 2 1/2" X 26 5/8"	UT26100208000	1	2 <b>AH</b>
	30181-L Door Panel	3/8" NG 31 3/8"" X 71 1/2""	K 7108310600M	1	1
Left Door Assembly	Left Hinge Assembly	HINGE LEFT (GREEN) 19/32x3 THIN TRIM	30131-TT		1
	Vertical Door Stiles Horizontal Door Rails	19/32 TST 2 1/2" X 71 5/8" 19/32 TST 2 1/2" X 26 5/8"	UT71100208000 UT26100208000		GY AH
	30128-U			<u></u>	
Universal Door Assembly	Door Panel	3/8" NG 31 3/8"" X 71 1/2""	K 7108310600U		1
	Universal Hinge Assembly Vertical Door Stiles	HINGE (BLACK) - UNIVERSAL 19/32 TST 2 1/2" X 71 5/8"	30130 UT71100208000		1 1 GY
	Horizontal Door Rails	19/32 TST 2 1/2" X 26 5/8"	UT26100208000	1	2 AH

#### LIMITED CONDITIONAL WARRANTY\*

Backyard Storage Solutions, LLC warrants the following:

- Every product is warranted from defects in workmanship and manufacturing for 1 year.
- 2. All accessories, hardware and metal components are warranted for 2 years.
- 3. All Oriented Strand Board (OSB) is warranted for 2 years
- Siding and Trim is warranted for 10 years.
- 5. Solar Shed windows are warranted for 1 year.
- Cedar lumber is warranted for 15 years.
- Preserved Pine is warranted for 10 years.
- 8. Redwood is warranted for 10 years.

Backyard Storage Solutions, LLC will repair, replace or pay for the affected part. In no event shall Backyard Storage Solutions, LLC pay the cost of labor or installation or any other costs related thereto. All warranties are from date of purchase. If a cash refund is paid on an affected part, it will be prorated from the date of purchase.

#### CONDITIONS

The warranty is effective only when:

- The unit has been erected in accordance with the assembly instructions.
- 2. The unit has been properly shingled and painted or stained and reasonably and regularly maintained thereafter.
- 3. The failure occurs when the unit is owned by the original purchaser.
- 4. Backyard Storage Solutions, LLC has received the warranty registration card within thirty (30) days of purchase and notification of the failure in writing within the warranty period specified above.
- 5. Backyard Storage Solutions, LLC has had reasonable opportunity during the sixty (60) days following receipt of notification to inspect and verify the failure prior to commencement of any repair work.

#### REQUIREMENTS

#### Storage Buildings

To validate your warranty, it is necessary to properly maintain your Backyard Storage Solutions, LLC unit; shingle the roof and paint or solid-colored stain the siding using quality, 100% acrylic latex exterior product with a minimum of two (2) coats within thirty (30) days of assembly; caulk above all doors and all horizontal and vertical trim boards; paint and seal all exposed edges, sides and faces of siding/trim and OSB siding to include all exterior walls and all sides and all edges of doors.

#### Gazebos & Pergolas

To validate your warranty, it is necessary to properly maintain your Backyard Storage Solutions, LLC unit. This includes treating all of the exposed cedar and pine surfaces on your gazebo or pergola structure with an exterior grade wood preservative, an exterior oil-based semi-transparent stain, an acrylic latex exterior paint or an acrylic latex solid color exterior stain within 30 days of assembly and as needed thereafter to maintain your warranty.

Keep vegetation trimmed away from building and make sure siding panels and trim do not come in contact with masonry or cement. The minimum ground clearance for siding must be one half inch (½ inch) from concrete slab or two and one half inches (2½") from the ground when building is erected or constructed on a treated wood floor kit. Water from sprinklers must be kept off unit. In no event will Backyard Storage Solutions, LLC be responsible for any indirect, incidental, consequential or special damages nor for failure(s) that are caused by events, acts or omissions beyond our control including, but not limited to, misuse or improper assembly, improper maintenance (which eventually leads to rot or decay) and acts of God. Backyard Storage Solutions, LLC will not be held responsible for any labor costs incurred to construct your unit.

This warranty gives you certain specific rights that vary from state to state.

#### **CLAIM PROCEDURE**

To make a claim under this warranty, you can either call 1-888-827-9056 or email: customerservice@backyardproducts.com. Please have ready the information below when you call or include the information in your email:

- The model and size of the product.
- A list of the part(s) for which the claim is made.
- 3. Proof of purchase of the Backyard Storage Solutions, LLC item, as shown on the original invoice or receipt.
- 4. Run code: found on exterior product label or assembly instructions enclosed in the product package.

All other inquiries can be mailed to:

Backyard Storage Solutions, LLC Attn: Customer Service 1000 Ternes Monroe, MI 48162

\*WARRANTY TERMS MAY VARY OUTSIDE THE U.S.A. IMPORTANT: This is your warranty certificate.

10Y MV LDR: 3/20/2019